

Auswerfen eines Silent Bricks

Diese Anleitung beschreibt das vorgehen zum auswerfen eines Silent Bricks

Geschrieben von: Rene Weber

The screenshot shows the FAST LTA System Administration interface. On the left is a sidebar with a tree view containing 'Welcome', 'Resources' (Controllers, Shelves, Bricks, Libraries, Volumes), 'Archives', 'Settings' (Network, Connections, Users, Notifications, Miscellaneous, SMB, SNMP, Services), and 'System Status' (Overview, Support Area, Statistics, History). The 'B2DTarget' volume under 'Volumes' is selected and highlighted in blue. The main area is titled 'Manage Volume' and has tabs for 'General', 'Shares', 'Snapshots', 'Bricks', and 'Statistics'. The 'General' tab is active, showing a row of buttons: 'Set Offline', 'Unlock Bricks for Eject', 'Remove from System', 'Delete with all Data', 'Erase all Data', 'Create Replication', and 'Reconnect Replication'. A blue arrow points to the 'Set Offline' button. Below the buttons, the volume details are displayed:


Volume Name, Description and Type	
Name:	B2DTarget
Description:	
Type:	SNAS - Triple Parity
Mode:	Standard

Compression	
Use Compression:	Yes

Audit Management	
Audit Interval:	30 Days


Summary	
Status:	Online
Used:	0 GB 0%
Available:	9.002 GB

Schritt 1 — Brick entriegeln (SNAS)



- Bei einem SNAS setzen Sie zuerst das entsprechende Volume auf Offline
- Entriegeln Sie anschließend die Bricks zur Entnahme

Schritt 2 — Brick entriegeln (VTL)



- Bei einer Virtuellen Tape Library nutzen sie Ihre Backup Software um den entsprechenden Brick mittels 'Export' aus zu werfen.

Schritt 3 — Entriegelten Brick identifizieren



- Der entriegelte Brick kann am gleichmässigen Blinken der LED erkannt werden.

Schritt 4 — Auswerfen des Bricks



- Streichen Sie über den Silent Brick Schriftzug
- Entriegelte Bricks werden somit ausgeworfen