

Mount G1 Projection Mount Track Assemblies Text Part 2

Written By: Trent Borgardt




Step 1 — Mount Track Brackets on Mounting Surface




⚠ Vinyl Critter Catchers Omitted from this step for Clarity.

- Plumb the Tracks and Transfer All Mounting Hole locations onto the Mounting Surface.
  - ⓘ There are 8 Track Brackets (4 per Track).
- Swing the Tracks out of the way, and Prep these locations for Hardware Appropriate for the Building Material.
  - ⓘ Pre-Drilling Holes in the Mounting Surface is Recommended.
- Swing the Tracks back into place, Plumbing them once again, before finally, Fastening the Track Brackets to the Mounting Surface.

Step 2 — Mount the Side Seal





ⓘ The Vinyl Critter Catchers are installed in the Vertical Track prior to shipment. Once the Vertical Tracks are installed, it is time to seal up the sides of the Door, back to the Mounting Surface.

- Secure the top edge of the Side Seal to the Header Projection Brackets via the hook-and-loop strips (provided).
  - ⓘ Pull the Material up and back to ensure it is Taut in all directions to close any Air Gaps that remain.
- Fold the Side Seal Material to flatten it against the wall. Secure it through the Material into the Mounting Surface with appropriate Hardware.