906CAM OBD Programming for W906 Sprinter Reverse Camera

906CAM OBD Programmer for W906 Sprinter Reverse Camera

Written By: Mid City Support




PARTS:

- 906CAM (1)

© 2026


Step 1 — Turn ignition on



- Insert key and turn to 2nd position (ignition on)

ⓘ Verify that ignition is on by confirming that warning lights are illuminated on instrument cluster


Step 2 — Turn ignition off and plug in OBD programmer



- Turn ignition off
- Plug OBD programmer into OBD port


☒ Steps 2 and 3 should be completed in under 10 seconds. If too much time elapses, the programming may not work

Step 3 — Turn ignition on



- Press push to start button 2X to turn ignition on
- LED inside OBD programmer case
- After programming is complete, LED on programmer will turn off
  - Typically programming only takes a few seconds, but can take up to 5 minutes in some cases

Step 4 — REMOVE OBD PROGRAMMER




- Turn ignition off and remove OBD programmer

⚠ **DO NOT START ENGINE OR DRIVE VEHICLE WITH OBD PROGRAMMER PLUGGED IN**

© 2026

Step 5 — Check backup camera programming



- Start vehicle
- Shift into reverse
- Radio screen should switch to either a) a black screen or b) camera image

If camera is not already plugged into backup camera input behind radio, you should see a black screen. If you have a camera connected and camera has power, you should see the camera image.

Attention: The OBD programmer should be removed after use. Do not start engine or drive vehicle with OBD programmer installed.

For support, contact Mid City Engineering:

www.midcityengineering.com/support

312-421-1114