907OBDJ51 Programmer Instructions

The 907OBDJ51 OBD programmer is used to activate the J51 option on 907 Chassis Mercedes Benz and Freightliner Sprinters MY 2019 - 2023

Written By: Mid City Support




INTRODUCTION

The 907OBDJ51 OBD programmer is used to activate the J51 option on 907 Chassis Mercedes Benz and Freightliner Sprinters MY 2019 - 2023

© 2026


Step 1 — Turn vehicle ignition on and position turn signal stalk



- Press push to start button 2X (ignition on)


ⓘ Verify that ignition is on by confirming that warning lights are illuminated on instrument cluster

Step 2 — Turn ignition off and plug in OBD programmer



- Turn ignition off and plug OBD programmer into OBD port


Step 3 — Turn ignition on



- Press push to start button 2X to turn ignition on
- LED inside OBD programmer case (observable through hole at end of case facing in floor) should turn on
- After programming is complete, LED on programmer will turn off

ⓘ If LED is off and you have not seen it turn on, it likely has already programmer (programming can happen within seconds of turning ignition on)

Step 4 — REMOVE OBD PROGRAMMER



- Turn ignition off and remove OBD programmer

⚠ DO NOT START ENGINE OR DRIVE VEHICLE WITH OBD PROGRAMMER PLUGGED IN

- The turn signal stalk (if moved) can be returned to the neutral position

To turn the J51 option OFF, put the turn signal stalk to the up position (right turn signal) and go through programming steps 1 through 4.

© 2026