


PARTS DOCS

How to Remove the OEM Undertrays on a Subaru BRZ

A quick and easy write up on how to remove the under trays and splash guards on a subaru BRZ.

Written By: Bench Espiritu



INTRODUCTION


This write up will show how to remove the 2 under trays on a Subaru BRZ or Scion FR-S. These under trays are always in the way of the exhaust installs and so on. This will guide you to the easy steps sof taking off the stock under trays.



TOOLS:

- [10 mm Socket](#) (1)
 - [Flathead Screwdriver](#) (1)
 - [floor jack, jack stands OR car lift](#) (1)
-


Step 1 — How to Remove the OEM Undertrays on a Subaru BRZ



⚠ Initially, before starting on any project on the front of the car, you would want to get it in the air. Supported by Jack stands.

- There are various bolts on the back under tray that need to be taken off with a 10mm socket
- There are 11 Bolts that have to be taken off to remove the black under tray.

Step 2



- After getting the rear under tray off, its time to move on to the front under tray.
- There's 7 black clips that require a flat head to pop out. Be careful not to break the head on these. Once they pop out, just pull them out of the hole.
- After the Clips are out, go ahead and use the 10mm socket to get the bolts out. There should be (8) 10 mm head bolts holding up the under tray.
- ☑ Once those bolts are taken out, the under tray will drop. Be careful not to damage the tray as it is a key item in the undercarriage of the vehicle.

This document was generated on 2026-02-15 12:40:45 PM (MST).

A lot of the work that usually needs to be done on the car will require the under tray to come off. This is usually the first step of any modding process. Happy Modding!