


Nikon SD info

Written By: Eliska Macickova






This document was generated on 2026-01-14 12:26:07 PM (MST).

Step 1 — Training - Macro



- When user will log in with his Windows account it is needed to run a macro - so the user layout, OCs, etc, are loaded
- Find Macro > Run macro from a File
- Find path, where the Macro is saved: *C:/Nikon Service* and Open file IntroduceUserMacro
- Confirm OK


Step 2 — Training - Macro






- ⓘ Some of the stuff can´t be add to macro, as it does not have a command in NIS-Elements. However, they are more appealing and help for orientation in the SW
- Display groups
- Align
- Rightclick on the OC panel and choose Show channel color
- **Change the saving path during the intro!!!**

Step 3 — Lost Configurations of Ti2







- Open Ti2 control app: Search in the Windows Start for the app
- Go to Import/Export and click on **Open Export Folder** - (if you have never uploaded configs before)
- New empty folder will be opened - keep it on the desktop
- Open a second File Explorer and find a file in this path: *C:/Nikon Service/Configuration Backup* called ***Ti2BckUpctrl*** and copy it to the Export Folder
- Close both folders and in the Ti2 control app click on Import, and load the *Ti2BckUpctrl* settings > click on OK and confirm to send it to microscope.